## § 180.563

(trifluoromethoxy)benzene sulfonamide and calculated as flucarbazone-sodium in or on the following food commodities:

Commodity	Parts per million
Cattle, liver	1.50
Cattle, meat	0.01
Cattle, meat byproducts, except liver	0.01
Goat, liver	1.50
Goat, meat	0.01
Goat, meat byproducts, except liver	0.01
Hog, liver	1.50
Hog, meat	0.01
Hog, meat byproducts, except liver	0.01
Horse, liver	1.50
Horse, meat	0.01
Horse, meat byproducts, except liver	0.01
Milk	0.005
Sheep, liver	1.50
Sheep, meat	0.01
Sheep, meat byproducts, except liver	0.01
Wheat, forage	0.30
Wheat, grain	0.01
Wheat, hay	0.10
Wheat, straw	0.05

- (b) Section 18 emergency exemptions. [Reserved]
- (c) Tolerances with regional registrations. [Reserved]
- (d) Indirect or inadvertant residues. [Reserved]

[70 FR 67915, Nov. 9, 2005, as amended at 71 FR 76931, Dec. 22, 2006]

## § 180.563 Ethametsulfuron-methyl; tolerances for residues.

(a) General. A tolerance is established for residues of ethametsulfuron methyl (methyl 2- ((((4-ethoxy-6-(methylamino)-1,3,5- triazin-2-yl) amino) carbonyl) amino) sulfonyl) benzoate) in or on the following raw agricultural commodities.

Commodity	Parts per million
Canola, seed	0.02
Crambe, seed	0.02
Rapeseed, seed	0.02

- (b) Section 18 emergency exemptions. [Reserved]
- (c) Tolerances with regional registrations. [Reserved]
- (d) Indirect of inadvertent residues. [Reserved]

[65 FR 57972, Sept. 27, 2000, as amended at 66 FR 18207, Apr. 6, 2001; 67 FR 35050, May 17, 2002]

## § 180.564 Indoxacarb; tolerances for residues.

(a) General. Tolerances are established for residues of indoxacarb, including its metabolites and degradates, in or on the commodities in the table below. Compliance with the tolerance levels specified below is to be determined by measuring only indoxacarb, (S)-methyl 7-chloro-2,5-dihydro-2-[[(methoxycarbonyl)[4-(trifluoromethoxy) phenyl]amino]carbonyl]indeno[1,2 $e] [1,3,4] [ {\it oxadiazine-4a} (3H)\hbox{-}{\it carboxylate},$ and its R-enantiomer, (R)-methyl 7chloro-2,5-dihydro-2-[[(methoxycarbonyl) [4-(trifluoromethoxy) phenyl]amino]carbonyl]indeno[1,2e[1,3,4][oxadiazine-4a(3H)-carboxylate.

Commodity	Parts per million
Apple, wet pomace	3.0
Alfalfa, forage	10
Alfalfa, hay	50
Beet, garden, roots	0.30
Beet, garden, tops	6.0
Bushberry subgroup 13–07B	1.5
Cattle, fat	1.5
Cattle, meat	0.05
Cattle, meat byproducts	0.03
Corn, sweet, forage	10
Corn, sweet, kernel plus cob with husk removed	0.02
Corn, sweet, stover	15
Cotton, gin byproducts	15
Cotton, undelinted seed	2.0
Cranberry	0.90
Fruit, pome, except pear, group 11	1.0
Fruit, stone, group 12	0.90
Goat, fat	1.5
Goat, meat	0.05
Goat, meat byproducts	0.03
Grain, aspirated fractions	45
Grape	2.0
Grape, raisin	5.0
Hog, fat	1.5
Hog, meat	0.05
Hog, meat byproducts	0.03
Horse, fat	1.5
Horse, meat	0.05
Horse, meat byproducts	0.03
Milk	0.15
Milk, fat	4.0
Okra	0.50
Pea, southern, seed	0.10
Peanut	0.01
Peanut, hay	40
Pear	0.20
Pear, oriental	0.20
Peppermint, tops	11
Sheep, fat	1.5
Sheep, meat	0.05
Sheep, meat byproducts	0.03
Soybean, hulls	4.0
Soybean, seed	0.80
Spearmint, tops	11
Turnip, greens	12
Vegetable, Brassica, leafy, group 5	12
Vegetable, cucurbit, group 9	0.60
Vegetable, fruiting, group 8	0.50
Vegetable, leafy, except Brassica, group 4	14